

VACCINE PLANNING CHART

Vaccination	Dose	Recomm-ended age for dosage per CDC	Min-imum interval from previous dose	Min-imum age for dose	Your schedule choice	Calendar Date or approx.
-------------	------	-------------------------------------	--------------------------------------	-----------------------	----------------------	--------------------------

Hepatitis B	1 of 3	Birth	----	Birth		
	2 of 3	1-2 months	4 weeks	4 weeks		
	3 of 3	6-18 months	8 weeks	24 weeks		

Notes:

Rotavirus	1 of 3	2 months (maximum 14 weeks)	----	6 weeks		
	2 of 3	4 months	4 weeks	10 weeks		
	3 of 3	6 months (maximum 8 months)	4 weeks	14 weeks		

Notes:

Diphtheria, Pertussis, Tetanus (DTaP)	1 of 5	2 months	----	6 weeks		
	2 of 5	4 months	4 weeks	10 weeks		
	3 of 5	6 months	4 weeks	14 weeks		
	4 of 5	15-18 months	6 months	1 year		
	5 of 5	4-6 years	6 months	4 years		

Notes:

Vaccination	Dose	Recomm-ended age for dosage per CDC	Min-imum interval from previous dose	Min-imum age for dose	Your schedule choice	Calendar Date or approx.
-------------	------	-------------------------------------	--------------------------------------	-----------------------	----------------------	--------------------------

Haemophilus Influenza B (HIB)	1 of 3	2 months	----	6 weeks		
	2 of 3*	4 months	4 weeks	10 weeks		
	3 of 3*	6 months	4 weeks	14 weeks		
	4 of 4*	12-15 months	8 weeks	1 year		

Notes: (*if given after a certain age these doses may be dropped. Certain brands of Hib do not require 3rd dose. Catch-up schedule varies depending upon the child's age. See your physician.)

Polio (IPV)	1 of 4	2 months	----	6 weeks		
	2 of 4	4 months	4 weeks	10 weeks		
	3 of 4	6-18 months	4 weeks	14 weeks		
	4 of 4	4-6 years	4 weeks	18 weeks		

Notes:

Pneumococcus (PCV)	1 of 4	2 months	----	6 weeks		
	2 of 4*	4 months	4 weeks	10 weeks		
	3 of 4*	6 months	4 weeks	14 weeks		
	4 of 4*	12-15 months	6 months	1 year		

Notes: (*if given after a certain age these doses may be dropped. Catch-up schedule varies depending upon the child's age. See your physician.)

Vaccination	Dose	Recomm-ended age for dosage per CDC	Min-imum interval from previous dose	Min-imum age for dose	Your schedule choice	Calendar Date or approx.
-------------	------	-------------------------------------	--------------------------------------	-----------------------	----------------------	--------------------------

Measles, Mumps, Rubella (MMR)	1 of 2	12-15 months	----	1 year		
	2 of 2	4-6 years	4 weeks	13 months		

Notes:

Varicella (Chicken pox)	1 of 2	12-15 months	----	1 year		
	2 of 2	4-6 years	3 months	----		

Notes:

Hepatitis A	1 of 2	12-23 months	----	1 year		
	2 of 2	(6 months after 1st dose)	6 months	----		

Notes:

General notes: Catch-up schedules vary for children with certain specific risk factors, for children doing international travel, for children >4 years of age (or for 3 year olds who will be turning 4 before the schedule is complete). This planning chart does not include the seasonal influenza vaccine, which is given only during flu season. There are many other specifics that don't fit into a small chart like this, so always follow your physician's advice regarding timing of vaccines.