

# References for Naturopathic Pediatrics PRO constipation module

1. Tran DL, Sintusek P. Functional constipation in children: What physicians should know. *World J Gastroenterol*. 2023 Feb 28;29(8):1261-1288. doi: 10.3748/wjg.v29.i8.1261. PMID: 36925458; PMCID: PMC10011959.
2. Fontana M, et al. Bowel frequency in healthy children. *Acta Paediatr Scand*. 1989 Sep;78(5):682-4.
3. Benninga MA, Faure C, Hyman PE, et al. Childhood Functional Gastrointestinal Disorders: Neonate/Toddler. *Gastroenterology* 2016.
4. Hyams JS, Di Lorenzo C, Saps M, et al. Functional Disorders: Children and Adolescents. *Gastroenterology* 2016.
5. Wesson D. Congenital aganglionic megacolon (Hirschsprung disease). UpToDate. 9 November 2016 Web. 18 January 2017.
6. Sabharwal S, Borowitz D. Cystic fibrosis: Overview of gastrointestinal disease. UpToDate. 5 November 2016. Web 15 January 2017.
7. Afzal NA, Tighe MP, Thomson MA. Constipation in children. *Italian Journal of Pediatrics*. 2011;37:28.
8. Sood, M. Functional fecal incontinence in infants and children: Definition, clinical manifestations and evaluation. UpToDate. 21 December 2016. Web. 18 January 2017.
9. Sampaio C, et al. Constipation and Lower Urinary Tract Dysfunction in Children and Adolescents: A Population-Based Study. *Front Pediatr*. 2016 Oct 3;4:101.
10. Olaru C1, Diaconescu S1, Trandafir L1, et al. Some Risk Factors of Chronic Functional Constipation Identified in a Pediatric Population Sample from Romania. *Gastroenterol Res Pract*. 2016;2016:3989721.
11. Phatak UP1, Pashankar DS1. Prevalence of functional gastrointestinal disorders in obese and overweight children. *Int J Obes (Lond)*. 2014 Oct;38(10):1324-7. doi: 10.1038/ijo.2014.67.
12. Chao HC, Lai MW, Kong MS, et al. Cutoff volume of dietary fiber to ameliorate constipation in children. *J Pediatr*. 2008;153(1):45.
13. Tabbers MM, Boluyt N, Berger MY, et al. Nonpharmacologic treatments for childhood constipation: systematic review. *Pediatrics*. 2011;128(4):753.
14. Williams CL, et al. A new recommendation for dietary fiber in childhood. *Pediatrics* 1995; 96:985.
15. Salvatore S, Battaglia MS, Murone E, Dozio E, Pensabene L, Agosti M. Dietary Fibers in Healthy Children and in Pediatric Gastrointestinal Disorders: A Practical Guide.

- Nutrients. 2023 May 6;15(9):2208. doi: 10.3390/nu15092208. PMID: 37432354; PMCID: PMC10180776.
16. Loening-Baucke V, Miele E, Staiano A. Fiber (glucomannan) is beneficial in the treatment of childhood constipation. *Pediatrics*. 2004;113(3 Pt 1):e259.
  17. Chmielewska A, Horvath A, Dziechciarz P, Szajewska H. Glucomannan is not effective for the treatment of functional constipation in children: a double-blind, placebo-controlled, randomized trial. *Clin Nutr*. 2011 Aug;30(4):462-8.
  18. Castillejo G, BullóM, Anguera A, et al. A controlled, randomized, double-blind trial to evaluate the effect of a supplement of cocoa husk that is rich in dietary fiber on colonic transit in constipated pediatric patients. *Pediatrics*. 2006 Sep;118(3):e641-8.
  19. Quitadamo P, Coccorullo P, Giannetti E, Romano C, Chiaro A, Campanozzi A, Poli E, Cucchiara S, Di Nardo G, Staiano A. A randomized, prospective, comparison study of a mixture of acacia fiber, psyllium fiber, and fructose vs polyethylene glycol 3350 with electrolytes for the treatment of chronic functional constipation in childhood. *J Pediatr*. 2012 Oct;161(4):710-5.e1. doi: 10.1016/j.jpeds.2012.04.043. Epub 2012 Jun 5. Erratum in: *J Pediatr*. 2012 Dec;161(6):1180. PMID: 22677568.
  20. Closa-Monasterolo R, Ferré N, Castillejo-DeVillasante G, Luque V, Gispert-Llaurado M, Zaragoza-Jordana M, Theis S, Escribano J. The use of inulin-type fructans improves stool consistency in constipated children. A randomised clinical trial: pilot study. *Int J Food Sci Nutr*. 2017 Aug;68(5):587-594. doi: 10.1080/09637486.2016.1263605. Epub 2016 Dec 8. PMID: 27931142.
  21. Irastorza I, et al. Cow's-milk-free diet as a therapeutic option in childhood chronic constipation. *J Pediatr Gastroenterol Nutr*. 2010 Aug;51(2):171-6.
  22. Dehghani S-M, Ahmadpour B, Haghghat M, et al. The Role of Cow's Milk Allergy in Pediatric Chronic Constipation: A Randomized Clinical Trial. *Iranian Journal of Pediatrics*. 2012;22(4):468-474.
  23. Giuseppe Iacono, M.D., Francesca Cavataio, M.D., Giuseppe Montalto, M.D. Intolerance of Cow's Milk and Chronic Constipation in Children. *N Engl J Med* 1998; 339:1100-1104
  24. Daher S, et al. Cow's milk protein intolerance and chronic constipation in children. *Pediatr Allergy Immunol*. 2001 Dec;12(6):339-42.
  25. Connor F, Salvatore S, D'Auria E, Baldassarre ME, Acunzo M, Di Bella G, Farella I, Sestito S, Pensabene L. Cows' Milk Allergy-Associated Constipation: When to Look for It? A Narrative Review. *Nutrients*. 2022 Mar 21;14(6):1317. doi: 10.3390/nu14061317. PMID: 35334974; PMCID: PMC8955686.
  26. Fiocchi A, Brozek J, Schünemann H, Bahna SL, von Berg A, Beyer K, Bozzola M, Bradsher J, Compalati E, Ebisawa M, Guzmán MA, Li H, Heine RG, Keith P, Lack G, Landi M, Martelli A, Rancé F, Sampson H, Stein A, Terracciano L, Vieths S; World

- Allergy Organization (WAO) Special Committee on Food Allergy. World Allergy Organization (WAO) Diagnosis and Rationale for Action against Cow's Milk Allergy (DRACMA) Guidelines. *Pediatr Allergy Immunol*. 2010 Jul;21 Suppl 21:1-125. doi: 10.1111/j.1399-3038.2010.01068.x. PMID: 20618740.
27. Carroccio A, Montalto G, Custro N, Notarbartolo A, Cavataio F, D'Amico D, Alabrese D, Iacono G. Evidence of very delayed clinical reactions to cow's milk in cow's milk-intolerant patients. *Allergy*. 2000 Jun;55(6):574-9. doi: 10.1034/j.1398-9995.2000.00417.x. PMID: 10858991.
  28. Indrio F, et al. Prophylactic use of a probiotic in the prevention of colic, regurgitation, and functional constipation: a randomized clinical trial. *JAMA Pediatr*. 2014 Mar;168(3):228-33.
  29. Baştürk A, Artan , Yılmaz. Efficacy of synbiotic, probiotic, and prebiotic treatments for irritable bowel syndrome in children: A randomized controlled trial. *Turk J Gastroenterol*. 2016 Sep;27(5):439-443
  30. Koebnick C, Wagner I, Leitzmann P, Stern U, Zunft HJ. Probiotic beverage containing *Lactobacillus casei* Shirota improves gastrointestinal symptoms in patients with chronic constipation. *Can J Gastroenterol*. 2003 Nov;17(11):655-9. doi: 10.1155/2003/654907. PMID: 14631461.
  31. Chmielewska, A., & Szajewska, H. (2010). Systematic review of randomised controlled trials: Probiotics for functional constipation. *World Journal of Gastroenterology*, 16(1), 69-75.
  32. Coccorullo P, Strisciuglio C, Martinelli M, Miele E, Greco L, Staiano A. *Lactobacillus reuteri* (DSM 17938) in infants with functional chronic constipation: a double-blind, randomized, placebo-controlled study. *J Pediatr*. 2010 Oct;157(4):598-602. doi: 10.1016/j.jpeds.2010.04.066. Epub 2010 Jun 12. PMID: 20542295.
  33. Zhang Y, Li A, Qiu J, Wen H, Zhang H, Sun X. Probiotics for functional constipation in children: an overview of overlapping systematic reviews. *Front Cell Infect Microbiol*. 2024 Jan 8;13:1323521. doi: 10.3389/fcimb.2023.1323521. PMID: 38259973; PMCID: PMC10800793.
  34. Escribano J, Ferré N, Gispert-Llaurado M, Luque V, Rubio-Torrents C, Zaragoza-Jordana M, Polanco I, Codoñer FM, Chenoll E, Morera M, Moreno-Muñoz JA, Rivero M, Closa-Monasterolo R. *Bifidobacterium longum* subsp *infantis* CECT7210-supplemented formula reduces diarrhea in healthy infants: a randomized controlled trial. *Pediatr Res*. 2018 Jun;83(6):1120-1128. doi: 10.1038/pr.2018.34. Epub 2018 May 2. PMID: 29538368.

35. Araújo MM, Botelho PB. Probiotics, prebiotics, and synbiotics in chronic constipation: Outstanding aspects to be considered for the current evidence. *Front Nutr.* 2022 Dec 8;9:935830. doi: 10.3389/fnut.2022.935830. PMID: 36570175; PMCID: PMC9773270.
36. Mezzasalma V, Manfrini E, Ferri E, et al. A Randomized, Double-Blind, Placebo-Controlled Trial: The Efficacy of Multispecies Probiotic Supplementation in Alleviating Symptoms of Irritable Bowel Syndrome Associated with Constipation. *Biomed Res Int.* 2016;2016:4740907.
37. Spiller R, Pélerin F, Cayzeele Decherf A et al. Randomized double blind placebo-controlled trial of *Saccharomyces cerevisiae* CNCM I-3856 in irritable bowel syndrome: improvement in abdominal pain and bloating in those with predominant constipation. *United European Gastroenterol J.* 2016 Jun;4(3):353-62.
38. Miller LE, Zimmermann AK, Ouwehand AC. Contemporary meta-analysis of short-term probiotic consumption on gastrointestinal transit. *World J Gastroenterol.* 2016 Jun 7;22(21):5122-31
39. Zoppi G, et al. The intestinal ecosystem in chronic functional constipation. *Acta Paediatr.* 1998 Aug;87(8):836-41.
40. Micklefield GH, et al. Effects of ginger on gastroduodenal motility. *Int J Clin Pharmacol Ther.* 1999 Jul;37(7):341-6.
41. Ruan M, Yu B, Xu L, et al. Attenuation of stress-induced gastrointestinal motility disorder by gentiopicroside, from *Gentiana macrophylla* Pall. *Fitoterapia.* 2015 Jun;103:265-76.
42. Qin QG, et al. Acupuncture at heterotopic acupoints enhances jejunal motility in constipated and diarrheic rats. *World J Gastroenterol.* 2014 Dec 28;20(48):18271-83.
43. Zhang T, et al. Efficacy of acupuncture for chronic constipation: a systematic review. *Am J Chin Med.* 2013;41(4):717-42.
44. Abbott R, Ayres I, Hui E, Hui K. Effect of perineal self-acupressure on constipation: a randomized controlled trial. *J Gen Intern Med.* 2015 Apr;30(4):434-9.
45. Li MK, Lee TF, Suen KP. Complementary effects of auricular acupressure in relieving constipation symptoms and promoting disease-specific health-related quality of life: A randomized placebo-controlled trial. *Complement Ther Med.* 2014 Apr;22(2):266-77.
46. Anders EF, Findeisen A, Nowak A, et al. Acupuncture for treatment of hospital-induced constipation in children: a retrospective case series study. *Acupunct Med.* 2012 Dec;30(4):258-60.
47. McKenna PH, Herndon CD, Connery S, Ferrer FA. Pelvic floor muscle retraining for pediatric voiding dysfunction using interactive computer games. *J Urol.* 1999 Sep;162(3 Pt 2):1056-62

48. De Schryver AM, et al. Effects of regular physical activity on defecation pattern in middle-aged patients complaining of chronic constipation. *Scand J Gastroenterol*. 2005 Apr;40(4):422-9.
49. Lämås K1, Lindholm L, Stenlund H, Engström B, Jacobsson C. Effects of abdominal massage in management of constipation--a randomized controlled trial. *Int J Nurs Stud*. 2009 Jun;46(6):759-67.
50. Tian H, et al. Fecal microbiota transplantation in patients with slow-transit constipation: A randomized, clinical trial. *PLoS One*. 2017 Feb 3;12(2):e0171308.
51. de Meij TG, et al. Characterization of Microbiota in Children with Chronic Functional Constipation. *PLoS One*. 2016 Oct 19;11(10):e0164731.
52. Tottey W, et al. Colonic Transit Time Is a Driven Force of the Gut Microbiota Composition and Metabolism: In Vitro Evidence. *J Neurogastroenterol Motil*. 2017 Jan 30;23(1):124-134.
53. de Moraes JG, et al. Fecal Microbiota and Diet of Children with Chronic Constipation. *Int J Pediatr*. 2016;2016:6787269.
54. Gürsen C, Kerem Günel M, Kaya S, et al. Effect of Connective Tissue Manipulation on Symptoms and Quality of Life in Patients With Chronic Constipation: A Randomized Controlled Trial. *J Manipulative Physiol Ther*. 2015 Jun;38(5):335-43.
55. Jarzebicka D, Sieczkowska J, Dadalski M, et al. Evaluation of the effectiveness of biofeedback therapy for functional constipation in children. *Turk J Gastroenterol*. 2016 Sep;27(5):433-438
56. Sari Anthoni, Erkki Savilahti, Hilpi Rautelin, and Kaija-Leena Kolho. Milk protein IgG and IgA: The association with milk-induced gastrointestinal symptoms in adults. *World J Gastroenterol*. 2009 Oct 21; 15(39): 4915–4918.
57. Michael Weinstein, MD. First do no harm: The dangers of mineral oil. *Paediatr Child Health*. 2001 Mar; 6(3): 129–131.
58. Department of Health and Human Services. The Use of Polyethylene Glycol in the Pediatric Population (R01) <https://grants.nih.gov/grants/guide/rfa-files/RFA-FD-14-088.html>
59. Paoletti G, et al. Severe iron-deficiency anemia still an issue in toddlers. *Clin Pediatr (Phila)*. 2014 Dec;53(14):1352-8.
60. Larry E Miller and Arthur C Ouwehand. Probiotic supplementation decreases intestinal transit time: Meta-analysis of randomized controlled trials. *World J Gastroenterol*. 2013 Aug 7; 19(29): 4718–4725.
61. Dimidi E, et al. The effect of probiotics on functional constipation in adults: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 2014 Oct;100(4):1075-84.

62. Bromley D, et al. Abdominal massage in the management of chronic constipation for children with disability. *Community Pract.* 2014 Dec;87(12):25-9.
63. Shukla R, et al. Fecal Microbiota in Patients with Irritable Bowel Syndrome Compared with Healthy Controls Using Real-Time Polymerase Chain Reaction: An Evidence of Dysbiosis. *Dig Dis Sci.* 2015 Mar 18. [Epub ahead of print]
64. Afzal NA, Tighe MP, Thomson MA. Constipation in children. *Italian Journal of Pediatrics.* 2011;37:28. doi:10.1186/1824-7288-37-28.
65. Gordon MI, Naidoo K, Akobeng AK, Thomas AG. Osmotic and stimulant laxatives for the management of childhood constipation. *Cochrane Database Syst Rev.* 2012 Jul 11; (7):CD009118.
66. Connor F, Salvatore S, D'Auria E, Baldassarre ME, Acunzo M, Di Bella G, Farella I, Sestito S, Pensabene L. Cows' Milk Allergy-Associated Constipation: When to Look for It? A Narrative Review. *Nutrients.* 2022 Mar 21;14(6):1317. doi: 10.3390/nu14061317. PMID: 35334974; PMCID: PMC8955686.
67. Mohammadi Bourkheili A, Mehrabani S, Esmaeili Dooki M, Haji Ahmadi M, Moslemi L. Effect of Cow's-milk-free diet on chronic constipation in children; A randomized clinical trial. *Caspian J Intern Med.* 2021 Winter;12(1):91-96. doi: 10.22088/cjim.12.1.91. PMID: 33680404; PMCID: PMC7919185.
68. Meena M, Narang M, Meena RK, Aggarwal A. Prevalence and Predictors of Celiac Disease in Children With Constipation. *Indian Pediatr.* 2024 Mar 5:S097475591600601. Epub ahead of print. PMID: 38449276.
69. Bautista-Casasnovas A, Argüelles-Martín F, Martín-Martínez B, Domínguez-Otero MJ, Tavares M, Amil-Dias J. Multicentre Study Into the Use of Polyethylene Glycol With Electrolytes Over at Least 6 Months to Treat Constipation in Paediatric Populations. *JPGN Rep.* 2023 Oct 5;4(4):e353. doi: 10.1097/PJG9.0000000000000353. PMID: 38034437; PMCID: PMC10684192.
70. Yıldırım A, Biçer Ş, Hacıhasanoğlu-Aşilar R, Özdamar MY, Şahin H, Gül V. The Effect of Education Given to Children with Functional Constipation and Fecal Incontinence and Their Mothers on Anxiety and Constipation Management. *Florence Nightingale J Nurs.* 2020 Oct 26;28(3):321-332. doi: 10.5152/FNJV.2020.19134. PMID: 34263211; PMCID: PMC8134022.
71. Lee-Robichaud H, Thomas K, Morgan J, Nelson RL. Lactulose versus Polyethylene Glycol for Chronic Constipation. *Cochrane Database Syst Rev.* 2010 Jul 7; (7):CD007570. doi: 10.1002/14651858.CD007570.pub2. PMID: 20614462.
72. Bianchi A, Bottau P, Calamelli E, Caimmi S, Crisafulli G, Franceschini F, Liotti L, Mori F, Paglialonga C, Saretta F, Tosca M, Cardinale F, Licari A, Miraglia Del Giudice M, Caffarelli C. Hypersensitivity to polyethylene glycol in adults and children: An emerging

challenge. *Acta Biomed.* 2021 Nov 29;92(S7):e2021519. doi: 10.23750/abm.v92iS7.12384. PMID: 34842597; PMCID: PMC9431890.

73. Di Nardo G, Barbara G, Borrelli O, Cremon C, Giorgio V, Greco L, La Pietra M, Marasco G, Pensabene L, Piccirillo M, Romano C, Salvatore S, Saviano M, Stanghellini V, Strisciuglio C, Tambucci R, Turco R, Zenzeri L, Staiano A. Italian guidelines for the management of irritable bowel syndrome in children and adolescents : Joint Consensus from the Italian Societies of: Gastroenterology, Hepatology and Pediatric Nutrition (SIGENP), Pediatrics (SIP), Gastroenterology and Endoscopy (SIGE) and Neurogastroenterology and Motility (SINGEM). *Ital J Pediatr.* 2024 Mar 14;50(1):51. doi: 10.1186/s13052-024-01607-y. PMID: 38486305; PMCID: PMC10938778.
74. de Geus A, Koppen IJN, Flint RB, Benninga MA, Tabbers MM. An Update of Pharmacological Management in Children with Functional Constipation. *Paediatr Drugs.* 2023 May;25(3):343-358. doi: 10.1007/s40272-023-00563-0. Epub 2023 Mar 20. PMID: 36941393; PMCID: PMC10097737.
75. Paul A, Punati J. What is the Evidence for Over the Counter Laxatives to Treat Childhood Constipation? *Curr Gastroenterol Rep.* 2021 Oct 12;23(11):19. doi: 10.1007/s11894-021-00818-1. PMID: 34637057.
76. Tavassoli S, Eftekhari K, Karimi M, Ghobadi A, Shati M, Naddaf A, Abbassian A. Effectiveness of *Viola* Flower Syrup Compared with Polyethylene Glycol in Children with Functional Constipation: A Randomized, Active-Controlled Clinical Trial. *Evid Based Complement Alternat Med.* 2021 Sep 9;2021:9915289. doi: 10.1155/2021/9915289. PMID: 34552657; PMCID: PMC8452406.